

**Merlin**<sup>®</sup>  
POWERED BY myQ.



# Smart Access Solutions

GARAGE DOOR OPENERS • GATE OPENERS • SMART HOME • ACCESSORIES



## Why Merlin?


At Merlin, we are the experts in smart home access. Our products can elevate your garage door or gate to the latest technology to help you, and your family, enjoy the advantages of safety and convenience.



Compliant to relevant Australian  
& New Zealand Standards.



## Contents



Our access solutions & safety – page 4



myQ Smart Home – page 6



Garage Door Openers – page 8



Garage Door Opener Accessories – page 14



Gate Openers – page 20



Gate Opener Accessories – page 28

# The most advanced garage door and gate opener accessories available.



## GARAGE DOOR OPENER ACCESSORIES<sup>1</sup>



**MYQ CONNECTIVITY KIT**  
M828AU774



**BATTERY BACKUP**  
M-BBU24V



**THE PROTECTOR SYSTEM™**  
774ANZ



**MYQ REMOTE LED LIGHT**  
827AU

## REMOTES FOR GARAGE DOOR OPENERS



**FOUR BUTTON  
REMOTE CONTROL**  
E970M



**WATER RESISTANT<sup>2</sup> FOUR BUTTON  
REMOTE CONTROL WITH CARABINER**  
E980M



**FOUR BUTTON CAR VISOR  
REMOTE CONTROL**  
E964M



**FOUR BUTTON WIRELESS WALL  
MOUNT REMOTE CONTROL**  
E148M



**WIRELESS SECURITY KEYPAD**  
E840M

<sup>1</sup> See product page for accessory compatibility.

<sup>2</sup> IP65 Protection against low-pressure water jets from any angle.



**GATE OPENER ACCESSORIES<sup>1</sup>**



**MYQ CONNECTIVITY KIT**  
M828AU772



**BATTERY BACKUP**  
MGBBU



**THE PROTECTOR SYSTEM™**  
772ANZ

**REMOTES FOR GATE OPENERS**



**FOUR BUTTON  
REMOTE CONTROL**  
E970M



**WATER RESISTANT<sup>2</sup> FOUR BUTTON  
REMOTE CONTROL WITH CARABINER**  
E980M



**FOUR BUTTON CAR VISOR  
REMOTE CONTROL**  
E964M



**FOUR BUTTON WIRELESS WALL  
MOUNT REMOTE CONTROL**  
E148M




**WIRELESS SECURITY  
KEYPAD (IP55)**  
E850M | E850G

<sup>1</sup> See product page for accessory compatibility.

<sup>2</sup> IP65 Protection against low-pressure water jets from any angle.

# Smart home technology



## The myQ App

With myQ® smart home technology, you'll always know what's going on at home, even while you're away.





**Real-Time Notifications**  
Get real-time notifications anytime your garage door and gate opens or closes.




**Shared Access**  
Securely share limited access via myQ Guest to your home with up to five users you know and trust.



**24/7 Remote Access**  
Let a contractor, house cleaner or family member into your home any time.




**Daily Schedules**  
Create schedules to close your garage door, gate, or turn your myQ lights on/off at specific days and times.



**Automatic Safety Reversal Function**  
Your garage door or gate will stop and reverse automatically if there is obstruction in the way with The Protector System™ (Safety IR Beams).



All current Merlin garage door openers are myQ Capable.\*



All current Merlin and Grifco gate openers are myQ Capable.

\* Merlin Commander Ultimate MJ3800MYQ includes built-in myQ Wi-Fi.

# Garage Door Openers






“The myQ opener is working fantastically.  
It opens and closes at a good speed.

I love the ability to receive alerts when it opens  
and closes as well as being able to control the  
door from the myQ App on my phone.”

**TRENT, SYDNEY NSW**



# Garage Door Opener Comparison Chart

Included as standard   
Optional accessory   
Not applicable 



**Commander Ultimate**  
MJ3800MYQ



**Commander Extreme**  
MS125MYQ



**Commander Elite**  
MS105MYQ



**Commander Essential**  
MS65MYQ



**SilentDrive Elite**  
MR855MYQ



**SilentDrive Essential**  
MR655MYQ





**WeatherDrive**  
MR555MYQ

Model	Commander Ultimate	Commander Extreme	Commander Elite	Commander Essential	SilentDrive Elite	SilentDrive Essential	WeatherDrive
Door type	Sectional	Sectional	Sectional & Tilt	Sectional	Roller	Roller	Roller

## SMART

 <b>MYQ CAPABLE TECHNOLOGY</b> lets users create schedules, monitor, receive alerts and control the garage door opener away from home. <sup>1</sup>	●	○	○	○	○	○	○
 <b>SOFT-START AND SOFT-STOP</b> for smooth operation.	●	●	● <small>Excluding Tilt Doors</small>	●	●	●	●
 <b>MYQ REMOTE LED LIGHT</b> Ultra-bright LED light designed to illuminate your garage or workspace. Controlled through your garage door opener, remote control or the myQ app.	●	○	○	○	○	○	○
 <b>CORNER-TO-CORNER LIGHTING</b> Bright onboard LEDs and a moulded diffuser lens distribute lighting from the opener throughout the garage, lighting up to the corners.	—	●	●	—	—	—	—

## QUIET & RELIABLE

Warranty	7 YEARS	7 YEARS	7 YEARS	5 YEARS	7 YEARS	5 YEARS	3 YEARS
 <b>BATTERY BACKUP</b> ensures access even when the power is out. <sup>2</sup>	●	○	○	—	○	—	—
 <b>QUIET DC MOTOR</b> eliminates noise and vibrations through the ceiling and provide smooth operation.	●	●	●	●	●	●	●

## SAFE & SECURE

 <b>SECURITY+ 2.0®</b> sends a new code with every remote click.	●	●	●	●	●	●	●
 <b>PREMIUM AUTOMATIC SAFETY REVERSE</b> function will allow your garage door to stop and reverse automatically if obstructed going down or stop going up.	●	●	●	●	●	●	●
 <b>TIMER-TO-CLOSE</b> automatically closes the door after a pre-set amount of time. <sup>3</sup>	●	●	●	●	●	●	●
 <b>IMPROVED TRANSMITTER RANGE</b> has up to 18% better range meaning you can start opening your garage door sooner. <sup>4</sup>	●	●	●	●	●	●	●
 <b>AUTOMATIC FORCE SENSING</b> monitors and adjusts the force needed to open your garage with each operation.	●	●	●	●	●	●	●
 <b>MANUAL RELEASE CORD</b> allows you to open your garage door whenever needed.	●	●	●	●	●	●	●
 <b>AUTOMATIC GARAGE DOOR LOCK</b> prevents unwanted entry and provides an extra layer of security.	●	—	—	—	—	—	—
 <b>MOTION DETECTOR</b> automatically turns on the light.	●	—	—	—	—	—	—
 <b>THE PROTECTOR SYSTEM™</b> (Safety IR Beams) auto-reverses the door if there's an obstruction.	●	○	○	○	○	○	○
 <b>E-LOCK</b> control panel buttons can be locked, providing better security.	—	—	—	—	—	—	●

<sup>1</sup> Additional purchase of Merlin myQ Gateway and Safety IR Beams accessories required to enable myQ functionality. Visit [gomerlin.com.au](http://gomerlin.com.au) or [gomerlin.co.nz](http://gomerlin.co.nz) for further information. <sup>2</sup> Additional purchase of Merlin Battery Backup accessory required to enable Battery Backup functionality. Visit [gomerlin.com.au](http://gomerlin.com.au) or [gomerlin.co.nz](http://gomerlin.co.nz) for further information. <sup>3</sup> Safety IR Beams must be installed to enable the use of Timer-to-Close. See User Guide for additional information. <sup>4</sup> When compared to other available products.



All Merlin Garage Door Openers shown are compliant to Australian and New Zealand Standard AS/NZS 60335.2.95

**SECTIONAL & TILT GARAGE DOOR OPENERS**



RECOMMENDED FOR SINGLE OR DOUBLE SECTIONAL GARAGE DOORS UP TO 286KG

**Commander Extreme**



Designed to operate with cyclone, wind-rated and heavy custom doors. With bright LED lighting, the Commander Extreme is myQ compatible with the additional purchase of the myQ Connectivity Kit and compatible with Battery Backup for added safety and security. 7 year warranty.

ACCESSORIES INCLUDED



Four Button Remote Controls



Wireless Wall Button



SECURITY+ 2.0



HEAVY-LIFTING POWER



CYCLONIC DOORS



QUIET DC MOTOR



PREMIUM AUTOMATIC SAFETY REVERSE



BATTERY BACKUP COMPATIBLE\*



MYQ LED LIGHT COMPATIBLE



RECOMMENDED FOR SINGLE OR DOUBLE SECTIONAL GARAGE DOORS PLUS TILT GARAGE DOORS

**Commander Elite**



Enhance your home security with the powerful, advanced Commander Elite. Feature-packed with encrypted codes, bright LED lighting and safety reversing. Suited for sectional and or tilt doors, the Commander Elite is also myQ compatible with the additional purchase of the myQ Connectivity Kit. Battery Backup compatible and Market leading 7 year warranty.

ACCESSORIES INCLUDED



Four Button Remote Controls



Wireless Wall Button



SECURITY+ 2.0



HEAVY-LIFTING POWER



QUIET DC MOTOR



PREMIUM AUTOMATIC SAFETY REVERSE



BATTERY BACKUP COMPATIBLE\*



MYQ LED LIGHT COMPATIBLE



RECOMMENDED FOR SINGLE SECTIONAL GARAGE DOORS

**Commander Essential**



Quiet, reliable DC motor can open residential doors up to 90kg. Commander Essential is myQ compatible with the additional purchase of the myQ Connectivity Kit.

ACCESSORIES INCLUDED



Four Button Remote Controls



Wireless Wall Button



SECURITY+ 2.0



QUIET DC MOTOR



PREMIUM AUTOMATIC SAFETY REVERSE



MYQ LED LIGHT COMPATIBLE



**COMMANDER ULTIMATE** RECLAIMS OVERHEAD SPACE WITH WALL-MOUNTED DESIGN, OPENING UP STORAGE OPPORTUNITIES.

## Commander Ultimate



Commander Ultimate offers unmatched ease of connectivity via integrated myQ Wi-Fi. Battery Backup, Safety IR Beams and other accessories included. Space-saving design is welcomed by home owners. 7 year warranty.

**ACCESSORIES INCLUDED** > 2 x Premium+ Remotes, Smart Control Panel, myQ Remote LED Light, The Protector System (Safety IR Beams), Automatic Door Lock, Cable Tension Monitor, Battery Backup.



SECURITY+ 2.0



AUTOMATIC GARAGE DOOR LOCK



WALL-MOUNT DESIGN & QUIET DC MOTOR



SPACE-SAVING DESIGN



QUIET DC MOTOR



BUILT-IN WI-FI



PREMIUM AUTOMATIC SAFETY REVERSE



HEAVY-LIFTING POWER



BATTERY BACKUP INCLUDED



MYQ LED LIGHT COMPATIBLE



RECOMMENDED FOR SINGLE OR DOUBLE SECTIONAL GARAGE DOORS

\* Units may be supplied with 2 x E960M Premium remotes.

**ROLLER GARAGE DOOR OPENERS**



RECOMMENDED FOR SINGLE OR DOUBLE ROLLER GARAGE DOORS

**SilentDrive Elite**



Enhance your home security with the powerful, advanced SilentDrive Elite. Feature-packed with encrypted codes, bright LED lighting and safety reversing. myQ and Battery Backup compatible. 7 year warranty.

ACCESSORIES INCLUDED >



Four Button Remote Controls



Wireless Wall Button



SECURITY+ 2.0



HEAVY-LIFTING POWER



QUIET DC MOTOR



PREMIUM AUTOMATIC SAFETY REVERSE



BATTERY BACKUP COMPATIBLE\*



MYQ LED LIGHT COMPATIBLE



RECOMMENDED FOR SINGLE ROLLER GARAGE DOORS

**SilentDrive Essential**



The quiet and reliable SilentDrive Essential is ideal for single roller doors. SilentDrive Essential is myQ compatible with additional purchase of the myQ Connectivity Kit. 5 year warranty.

ACCESSORIES INCLUDED >



Four Button Remote Controls



Wireless Wall Button



SECURITY+ 2.0



QUIET DC MOTOR



PREMIUM AUTOMATIC SAFETY REVERSE



MYQ LED LIGHT COMPATIBLE



RECOMMENDED FOR SHEDS, CARPORTS AND SINGLE ROLLER DOORS

**WeatherDrive™**



With a market-leading weather-resistant IP34 design, slimline design to fit into the tightest of spaces and LED lighting as standard, WeatherDrive is the perfect option for powering sheds and carport roller doors. myQ compatible. 3 year warranty.

ACCESSORIES INCLUDED >



Four Button Remote Controls



Wireless Wall Button



SECURITY+ 2.0



QUIET DC MOTOR



PREMIUM AUTOMATIC SAFETY REVERSE



MYQ LED LIGHT COMPATIBLE






# Garage Door Opener Accessories




“I have had the myQ garage door opener system installed to my garage door for several months.

The motor, myQ Smartphone App and the entire system has operated faultlessly throughout this period. I couldn't imagine getting by without it.”

**RICHARD, SYDNEY NSW**

Included as standard   
 Optional accessory   
 Not compatible 




**Commander Ultimate** MJ3800MYQ    **Commander Extreme** MS125MYQ    **Commander Elite** MS105MYQ    **Commander Essential** MS65MYQ    **SilentDrive Elite** MR855MYQ    **SilentDrive Essential** MR655MYQ    **WeatherDrive** MR555MYQ

		Commander Ultimate	Commander Extreme	Commander Elite	Commander Essential	SilentDrive Elite	SilentDrive Essential	WeatherDrive
 <p><b>MYQ CONNECTIVITY BUNDLE</b> Add monitoring and control away from home. Includes myQ Gateway and The Protector System™ (Safety IR Beams).</p>	M828AU774	INTEGRATED MYQ WI-FI						
 <p><b>BATTERY BACKUP</b> Get in and out when the power's out with Battery Backup.</p>	M-8BU2AV	INTEGRATED BATTERY BACKUP						
 <p><b>WIRELESS SECURITY KEYPAD</b> Convenient and safe access to your garage without using a remote control or key.</p>	E840M							
 <p><b>MYQ REMOTE LED LIGHT</b> Ultra-bright LED light designed to illuminate your garage or workspace. Controlled by a garage door opener, remote control or myQ App.</p>	827AU							
 <p><b>THE PROTECTOR SYSTEM™</b> (Safety IR Beams) auto-reverses the door if there's an obstruction.</p>	774ANZ							
 <p><b>SMART CONTROL PANEL</b> Offers the ease of programming remote controls, adjusting settings and even viewing system diagnostics.</p>	880AUW							
 <p><b>AUTOMATIC DOOR LOCK</b> Used to prevent the door from being manually opened once the door is fully closed. Providing an extra layer of security.</p>	841AU							
 <p><b>CABLE TENSION MONITOR</b> Prevents the door opening if the safety cable isn't tight enough.</p>	041A9264							
 <p><b>INTEGRATED BATTERY BACKUP</b> Ensures access even when the power is out.</p>	041A6357-2							
 <p><b>KEY CABLE RELEASE</b> Allows the opener to be disengaged from your garage door when there is no power or a remote is not available.</p>	E170M† / CM1702†							



~ E170M Key Cable Release is compatible with Commander Ultimate, Commander Extreme, Commander Elite and Commander Essential.  
 † CM1702 Key Cable Release is compatible with SilentDrive Elite, SilentDrive Essential and WeatherDrive.

# Garage Door Opener Accessories





**MYQ CONNECTIVITY KIT**  
M828AU774

- Add monitoring and control away from home via the myQ App for smart devices including Apple Watch.
- Includes myQ Gateway and The Protector System™ (Safety IR Beams) to protect your loved ones and belongings.
- See pages 6–7 for further information on myQ.

**MYQ REMOTE LED LIGHT**  
827AU


- Ultra-bright LED light designed to illuminate your garage or workspace.
- Controlled by a garage door opener†, remote control (1x E960M included) or myQ App\*.
- Easily attaches to a ceiling or wall. Supplied with 1.8m power lead.
- Multiple myQ Remote LED Lights can be added to your home.

\* Additional purchase of myQ Gateway and Safety IR Beams accessories required to enable myQ functionality. Visit [gomerlin.com.au](http://gomerlin.com.au) or [gomerlin.co.nz](http://gomerlin.co.nz) for further information.

† Only available on compatible models. Visit the Merlin website for details.  
\* Requires a myQ Gateway device and an active myQ account.





Safety beam not visible.



**BATTERY BACKUP**

M-BBU24V

- Get in and out when the power is out with Battery Backup\*.
- Keep your opener operating and your garage accessible at all times.
- Battery Backup powers the garage door opener (and safety features) as if the power was still on.



**THE PROTECTOR SYSTEM™**

774ANZ

- The Protector System (Safety IR Beams) reliably stops closing when the beam is obstructed or broken. This safety feature can prevent injury or damage to your vehicle, person or pet.
- Compatible with most Merlin garage door openers sold in Australia and New Zealand.



\* Battery Backup is compatible with Commander Extreme, Commander Elite and SilentDrive Elite models. Included with Commander Ultimate.

# Remotes



## WATER RESISTANT\* FOUR BUTTON REMOTE CONTROL WITH CARABINER

E980M

- Rugged and durable, water resistant (IP65).\*
- Audible click with each button press.
- Compatible with any Merlin garage door and gate openers made after 2009.
- Control up to 4 devices including garage door openers, gates and Merlin myQ Remote LED Light.
- Carabiner included.



**WATER RESISTANT\***



**AUDIBLE CLICK**



## FOUR BUTTON REMOTE CONTROL

E970M

- Audible click with each button press.
- Compatible with any Merlin garage door and gate openers made after 2009.
- Control up to 4 devices including garage door openers, gates and Merlin myQ Remote LED Light.



**DURABLE DESIGN**



**AUDIBLE CLICK**

\*IP65 Protection against low-pressure water jets from any angle.



**WIRELESS SECURITY KEYPAD**

E840M

- Keyless entry via 4 digit code access
- Set temporary codes for guests.
- Perfect for the family, trades people, or even just going for a walk.
- Compatible with Merlin Security+2.0 garage door openers.



**EASY TO PROGRAM**



**KEYLESS ENTRY VIA 4-DIGIT CODE**



**FOUR BUTTON CAR VISOR REMOTE CONTROL**

E964M

- Compatible with any Merlin garage door and gate openers made after 2009.
- Control up to 4 devices including garage door openers, gates and Merlin myQ Remote LED Light.
- Slimline design fits neatly onto your car visor (visor clip included).
- A green LED light flashes when a button is pressed.



**DURABLE DESIGN**



**AUDIBLE CLICK**



**FOUR BUTTON WIRELESS WALL MOUNT REMOTE CONTROL**

E148M

- Works with any Merlin or Chamberlain garage door and gate openers manufactured since 2009.
- Control up to 4 devices including garage door openers, gates and Merlin myQ Remote LED Light.
- Battery powered, so no wiring required, simply attaches to garage wall for easy access.



**EASY WIRELESS INSTALLATION**



**BIG BUTTON**

# Gate Openers






























“Getting in and out of the car to open and close the gate is now a thing of the past - the convenience is life-changing!”

**MEI, MELBOURNE VIC**

# Gate Opener Comparison Chart

Included as standard ● ●  
 Optional accessory ○ ○  
 Not applicable — —

				
Model	<b>Slide 600</b> (Sales Kits MGSK600, MGSK600-LV)	<b>LG-DRIVE</b> (Sales Kits GLD-GO, GLD-GO-LV)	<b>Swing A 200</b> (Sales Kits MGASK, MGASK-LV, MGADK, MGADK-LV)	<b>Swing L 300</b> (Sales Kits MGLSK, MGLSK-LV, MGLDK, MGLDK-LV)
Gate type	Slide	Slide	Swing	Swing
<b>SMART</b>				
 <b>MYQ CAPABLE TECHNOLOGY</b> lets users create schedules, monitor, receive alerts and control the gate opener away from home. <sup>1</sup>	<span style="color: green;">○</span>	<span style="color: red;">○</span>	<span style="color: green;">○</span>	<span style="color: green;">○</span>
 <b>LCD DISPLAY</b> for fast and intuitive programming setup.	<span style="color: green;">●</span>	<span style="color: red;">●</span>	<span style="color: green;">●</span>	<span style="color: green;">●</span>
 <b>SOFT-START AND SOFT-STOP</b> for smooth operation.	<span style="color: green;">●</span>	<span style="color: red;">●</span>	<span style="color: green;">●</span>	<span style="color: green;">●</span>
 <b>SPEED ADJUSTMENT</b> allows you to increase and decrease opening and closing gate speeds.	<span style="color: green;">●</span>	<span style="color: red;">●</span>	<span style="color: green;">●</span>	<span style="color: green;">●</span>
 <b>PEDESTRIAN MODE</b> allows for customised gate opening access.	<span style="color: green;">●</span>	<span style="color: red;">●</span>	<span style="color: green;">●</span>	<span style="color: green;">●</span>
<b>QUIET &amp; RELIABLE</b>				
<b>Warranty</b>	<b>3 YEARS</b>	<b>3 YEARS</b>	<b>3 YEARS</b>	<b>3 YEARS</b>
 <b>240V MAINS VOLTAGE</b>	<span style="color: green;">●</span>	<span style="color: red;">●</span>	<span style="color: green;">●</span>	<span style="color: green;">●</span>
 <b>24V LOW VOLTAGE</b>	<span style="color: green;">●</span>	<span style="color: red;">●</span>	<span style="color: green;">●</span>	<span style="color: green;">●</span>
 <b>IP44 WEATHER RESISTANT</b> ingress protection IP44 suitable for outdoor installation.	<span style="color: green;">●</span>	<span style="color: red;">●</span>	<span style="color: green;">●</span>	<span style="color: green;">●</span>
 <b>QUIET DC MOTOR</b> eliminates noise and vibrations, providing smooth operation.	<span style="color: green;">●</span>	<span style="color: red;">●</span>	<span style="color: green;">●</span>	<span style="color: green;">●</span>
 <b>BATTERY BACKUP COMPATIBLE</b> ensures access even when the power is out. <sup>2</sup>	<span style="color: green;">○</span>	<span style="color: red;">○</span>	<span style="color: green;">○</span>	<span style="color: green;">○</span>
 <b>120° WIDE OPENING ANGLE</b>	<span style="color: green;">—</span>	<span style="color: red;">—</span>	<span style="color: green;">●</span>	<span style="color: green;">●</span>
 <b>SLIDING GATES UP TO 8 METRES</b>	<span style="color: green;">●</span>	<span style="color: red;">—</span>	<span style="color: green;">—</span>	<span style="color: green;">—</span>
 <b>SLIDING GATES UP TO 12 METRES</b>	<span style="color: green;">—</span>	<span style="color: red;">●</span>	<span style="color: green;">—</span>	<span style="color: green;">—</span>
 <b>SINGLE SWING GATES UP TO 2.5 METRES</b>	<span style="color: green;">—</span>	<span style="color: red;">—</span>	<span style="color: green;">●</span>	<span style="color: green;">—</span>
 <b>DOUBLE SWING GATES UP TO 5 METRES</b>	<span style="color: green;">—</span>	<span style="color: red;">—</span>	<span style="color: green;">●</span> MGADK & MGADK-LV	<span style="color: green;">—</span>
 <b>SINGLE SWING GATES UP TO 3 METRES</b>	<span style="color: green;">—</span>	<span style="color: red;">—</span>	<span style="color: green;">—</span>	<span style="color: green;">●</span>
 <b>DOUBLE SWING GATES UP TO 6 METRES</b>	<span style="color: green;">—</span>	<span style="color: red;">—</span>	<span style="color: green;">—</span>	<span style="color: green;">●</span> MGLDK & MGLDK-LV
<b>SAFE &amp; SECURE</b>				
 <b>SECURITY+ 2.0</b> <sup>®</sup> sends a new code with every remote click.	<span style="color: green;">●</span>	<span style="color: red;">●</span>	<span style="color: green;">●</span>	<span style="color: green;">●</span>
 <b>PREMIUM AUTOMATIC SAFETY REVERSE</b> function will allow your gate to stop and reverse automatically if obstructed in opening or closing.	<span style="color: green;">●</span>	<span style="color: red;">●</span>	<span style="color: green;">●</span>	<span style="color: green;">●</span>
 <b>TIMER-TO-CLOSE</b> automatically closes the gate after a pre-set amount of time. <sup>3</sup>	<span style="color: green;">●</span>	<span style="color: red;">●</span>	<span style="color: green;">●</span>	<span style="color: green;">●</span>
 <b>IMPROVED TRANSMITTER RANGE</b> has up to 18% better range meaning you can start opening your gate sooner. <sup>4</sup>	<span style="color: green;">●</span>	<span style="color: red;">●</span>	<span style="color: green;">●</span>	<span style="color: green;">●</span>
 <b>AUTOMATIC FORCE SENSING</b> monitors and adjusts the force needed to open your gate with each operation.	<span style="color: green;">●</span>	<span style="color: red;">●</span>	<span style="color: green;">●</span>	<span style="color: green;">●</span>
 <b>DISENGAGEMENT MECHANISM</b> allows you to manually open the gate whenever needed.	<span style="color: green;">●</span>	<span style="color: red;">●</span>	<span style="color: green;">●</span>	<span style="color: green;">●</span>

<sup>1</sup> Additional purchase of Merlin myQ Gateway and Safety IR Beams accessories required to enable myQ functionality. Visit [gomerlin.com.au](http://gomerlin.com.au) or [gomerlin.co.nz](http://gomerlin.co.nz) for further information. <sup>2</sup> Additional purchase of Merlin Battery Backup (MGBBU) accessory required to enable Battery Backup functionality. Visit [gomerlin.com.au](http://gomerlin.com.au) or [gomerlin.co.nz](http://gomerlin.co.nz) for further information. <sup>3</sup> Safety IR Beams must be installed to enable the use of Timer-to-Close. See User Guide for additional information. <sup>4</sup> When compared to other available products.



All Merlin gate openers shown are compliant to Australian and New Zealand Standard AS/NZS 60335.2.95



## RESIDENTIAL SLIDE GATE OPENER



### Slide 600



Merlin's Slide 600 slide gate opener is suitable for slide gates up to 8 metres and 600kg. IP44 rated with Mains and Low Voltage options available. myQ capable and Battery Backup compatible.

ACCESSORIES INCLUDED



Four Button Remote Controls



1 m Racks



Transformer (MGTR1-96VA) only for Low Voltage version



SUITABLE FOR SLIDING GATES UP TO 8 METRES

	<b>MAINS VOLTAGE</b>		<b>LOW VOLTAGE</b>
MGSK600		MGSK600-LV	



240V MAINS VOLTAGE



24V LOW VOLTAGE



LCD DISPLAY



SPEED ADJUSTMENT



PEDESTRIAN MODE



IP44 WEATHER RESISTANT



QUIET DC MOTOR



PREMIUM AUTOMATIC SAFETY REVERSE



## LIGHT COMMERCIAL / HEAVY RESIDENTIAL SLIDE GATE OPENER



### LG-DRIVE



Grifco's LG-Drive is suitable for a Heavy Residential or a Light Commercial single slide gate up to 12 metres. IP44 rated with Mains and Low Voltage options available. myQ capable and Battery Backup compatible.

ACCESSORIES INCLUDED >



Four Button Remote Controls



1 m Racks



Transformer (MGTR3-120VA) only for Low Voltage version



SUITABLE FOR SLIDE GATES UP TO 12 METRES



MAINS VOLTAGE

GLD-GO



LOW VOLTAGE

GLD-GO-LV



240V MAINS VOLTAGE



24V LOW VOLTAGE



LCD DISPLAY



SPEED ADJUSTMENT



PEDESTRIAN MODE



IP44 WEATHER RESISTANT



QUIET DC MOTOR



PREMIUM AUTOMATIC SAFETY REVERSE



## RESIDENTIAL SINGLE SWING GATE OPENER

### Swing A 200



Merlin's Swing A 200 swing gate opener is suitable for residential single swing gates up to 2.5 metres. IP44 rated with Mains and Low Voltage options available. myQ capable and Battery Backup compatible.



ACCESSORIES INCLUDED



Four Button Remote Controls



Transformer (MGTR1-96VA) only for Low Voltage version



SUITABLE FOR SINGLE SWING GATES UP TO 2.5 METRES



MAINS VOLTAGE

MGASK



LOW VOLTAGE

MGASK-LV



240V MAINS VOLTAGE



24V LOW VOLTAGE



LCD DISPLAY



SPEED ADJUSTMENT



PEDESTRIAN MODE



IP44 WEATHER RESISTANT



QUIET DC MOTOR



120° WIDE OPENING ANGLE



PREMIUM AUTOMATIC SAFETY REVERSE





## RESIDENTIAL DOUBLE SWING GATE OPENER



### Swing A 200



Merlin's Swing A 200 swing gate opener is suitable for residential double swing gates up to 5 metres. IP44 rated with Mains and Low Voltage options available. myQ capable and Battery Backup compatible.

ACCESSORIES INCLUDED



Four Button Remote Controls



Transformer (MGTR1-96VA) only for Low Voltage version



SUITABLE FOR DOUBLE SWING GATES UP TO 5 METRES



MAINS VOLTAGE

MGADK



LOW VOLTAGE

MGADK-LV



240V MAINS VOLTAGE



24V LOW VOLTAGE



LCD DISPLAY



SPEED ADJUSTMENT



PEDESTRIAN MODE



IP44 WEATHER RESISTANT



QUIET DC MOTOR



120° WIDE OPENING ANGLE



PREMIUM AUTOMATIC SAFETY REVERSE



## RESIDENTIAL SINGLE SWING GATE OPENER



### Swing L 300



Merlin's Swing L 300 swing gate opener is suitable for residential single swing gates up to 3 metres. IP44 rated with Mains and Low Voltage options available. myQ capable and Battery Backup compatible.



Logic Box  
(MGEB or MGEB-LV)

ACCESSORIES INCLUDED



Four Button Remote Controls



Transformer (MGTR3-120VA)  
only for Low Voltage version



SUITABLE FOR SINGLE SWING GATES  
UP TO 3 METRES



MAINS  
VOLTAGE

MGLSK



LOW  
VOLTAGE

MGLSK-LV



240V MAINS  
VOLTAGE



24V LOW  
VOLTAGE



LCD  
DISPLAY



SPEED  
ADJUSTMENT



PEDESTRIAN  
MODE



IP44 WEATHER  
RESISTANT



QUIET DC  
MOTOR



120° WIDE  
OPENING ANGLE



PREMIUM  
AUTOMATIC  
SAFETY REVERSE



## RESIDENTIAL DOUBLE SWING GATE OPENER



Logic Box  
(MGE or MGE-LV)

### Swing L 300



Merlin's Swing L 300 swing gate opener is suitable for residential double swing gates up to 6 metres. IP44 rated with Mains and Low Voltage options available. myQ capable and Battery Backup compatible.

ACCESSORIES INCLUDED



Four Button  
Remote Controls



Transformer (MGTR3-120VA)  
only for Low Voltage version



SUITABLE FOR DOUBLE SWING GATES  
UP TO 6 METRES



MAINS  
VOLTAGE

MGLDK



LOW  
VOLTAGE

MGLDK-LV



240V MAINS  
VOLTAGE



24V LOW  
VOLTAGE



LCD  
DISPLAY



SPEED  
ADJUSTMENT



PEDESTRIAN  
MODE



IP44 WEATHER  
RESISTANT



QUIET DC  
MOTOR



120° WIDE  
OPENING ANGLE



PREMIUM  
AUTOMATIC  
SAFETY REVERSE

# Gate Opener Accessories



## WIRELESS SECURITY KEYPAD\*

E850M | E850G

Convenient and safe access to open and close your gate without using a remote control or key (IP55).

Store up to 5 different access codes for multi-tenanted applications.



WEATHER  
RESISTANT



KEYLESS  
ENTRY VIA  
4-DIGIT CODE



Slide 600



LG-DRIVE



Swing A 200



Swing L 300

 <p><b>GATE MYQ CONNECTIVITY BUNDLE</b> Add monitoring and control away from home. Includes myQ Gateway and The Outdoor Protector System (Safety IR Beams).</p>	M828AU772	●	●	●	●
 <p><b>OUTDOOR PROTECTOR SYSTEM</b> Safety IR Beams for outdoor gate applications (IP44).</p>	772ANZ	●	●	●	●
 <p><b>BATTERY BACKUP</b> Get in and out when the power's out with Battery Backup. Batteries fit within control box. Two batteries included.</p>	MGBBU	●	●	●	●
 <p><b>MERLIN WIRELESS SECURITY KEYPAD</b> Convenient and safe access to open and close your gate without using a remote control or key (IP55).</p>	E850M	●	—	●	●
 <p><b>GRIFCO WIRELESS SECURITY KEYPAD</b> Convenient and safe access to open and close your gate without using a remote control or key (IP55).</p>	E850G	—	●	—	—
 <p><b>SLIDE GATE STOP</b> Additional security for slide gates.</p>	002A2332	●	●	—	—
 <p><b>RACK</b> Additional 1 m racking.</p>	MGS-RACK	●	●	—	—



**Slide 600**







**LG-DRIVE**



**Swing A 200**



**Swing L 300**

 <p><b>INVERTER SLIDE RACK</b> Additional 1 m inverted racking.</p>	MGS-RACK-INVERT	●	●	—	—
 <p><b>STRAIGHT ARM</b> Straight arm attachment with fixing accessories.</p>	MGA-STRAIGHT	—	—	●	—
 <p><b>SWING GATE STOP</b> Additional security with bolted down gate stop.</p>	002A2334	—	—	●	●
 <p><b>SWING GATE STOP</b> Additional security with centre drive gate stop.</p>	002A2333	—	—	●	●
 <p><b>VEHICLE SENSING LOOP</b> Self-contained free exit system designed to detect moving vehicle and open your automatic gate. 33m length (IP68).</p>	921GA-CP4	●	●	●	●
 <p><b>6-PIN WIRE HARNESS</b> Attach a receiver with a 6-pin connection to control your gate opener or garage door opener.</p>	002A2331	●	●	●	●
 <p><b>EXTENSION ANTENNA</b> 3.6m extension for antenna to increase remote transmitter range. Includes antenna and SMA female - female joiner.</p>	SWG-ANT-EV	●	●	●	●



		Slide 600	LG-DRIVE	Swing A 200	Swing L 300
 <p><b>COAX ADAPTOR</b> Additional adaptor. SMA Female to F-Type Male. Used to connect the SWG-ANT-EV to receivers using F-Type connections.</p>	041A0343	●	●	●	●
 <p><b>MAG-LOCK</b> For additional security with magnetic lock.</p>	MG-488AU	●	●	●	●
 <p><b>E-LOCK FOR HORIZONTAL INSTALLATION</b> For additional security with electric lock. Includes 3 keys.</p>	ELOCK-H	●	●	●	●
 <p><b>E-LOCK FOR VERTICAL INSTALLATION</b> For additional security with electric lock. Includes 3 keys.</p>	ELOCK-V	●	●	●	●
 <p><b>WATER RESISTANT FOUR BUTTON REMOTE CONTROL</b> Rugged and durable 4 button remote. Each button can be programmed to Security+ and Security+ 2.0 devices. Water resistant (IP65).*</p>	E980M	●	●	●	●
 <p><b>FOUR BUTTON REMOTE CONTROL</b> Premium remote to control up to 4 garage doors or gates. Each button can be programmed to Security+ and Security+ 2.0 devices.</p>	E970M	●	●	●	●
 <p><b>FOUR BUTTON CAR VISOR REMOTE CONTROL</b> Easily attaches to your car visor to control up to 4 garage doors or gates. Can be programmed to Security+ and Security+ 2.0 devices.</p>	E964M	●	●	●	●
 <p><b>FOUR BUTTON WIRELESS WALL MOUNT REMOTE CONTROL</b> Control up to 4 devices including garage door openers, gates and Merlin myQ Remote LED Light. Battery powered, so no wiring required, simply attaches to garage wall for easy access.</p>	E148M	●	●	●	●

\* IP65 rating: full protection against dust and other particles as well as protection against low-pressure jets (6.3 mm) of directed water from any angle.

# Gate Opener Accessories



## GATE MYQ CONNECTIVITY BUNDLE

M828AU772

- Add monitoring and control away from home via the myQ App for smart devices including Apple Watch.
- Includes myQ Gateway and The Protector System™ (Safety IR Beams) to protect your loved ones and belongings.
- See pages 6–7 for further information on myQ.



## Wireless Security Keypad

E850M | E850G

- Convenient and safe access to open and close your gate without using a remote control or key (IP55).
- LED backlit keys.







**BATTERY BACKUP**

MGBBU

- Get in and out when the power is out with Battery Backup.
- Keep your your gate opener operational at all times.
- Battery Backup powers the gate opener (and safety features) as if the power was still on.



**THE PROTECTOR SYSTEM™**

772ANZ

- The Protector System (Safety IR Beams) reliably stops closing when the beam is obstructed or broken. This safety feature can prevent injury or damage to your vehicle, person or pet.
- Safety IR Beams for outdoor gate applications (IP44).
- Compatible with all current Merlin and Grifco Gate Openers sold in Australia and New Zealand.
- Protector System is required for myQ functionality.



# Choose safety. Choose Merlin.



## Have you seen these symbols?



### WARNING!

- The battery is hazardous.
- Product contains coin/button cell battery.
- Keep product and batteries away from children.
- Battery can cause severe or fatal injuries in 2 hours or less if swallowed or placed inside any part of the body.
- Seek immediate medical attention if it is suspected that a coin/button cell battery has been swallowed or placed inside any part of the body.

From June 2022, our communications for all products containing coin/button cell batteries must display a warning to comply with Australian laws.

All Merlin communications now carry these warning symbols, bringing awareness to the potential danger of coin cell batteries which can cause severe or fatal injuries in 2 hours or less if swallowed or placed inside any part of the body - seek immediate medical attention if it is suspected that a coin/button cell battery has been swallowed or placed inside any part of the body.

# Secure your home with myQ®.




## Left home with the garage door or gate open?

**WE'VE GOT YOU COVERED**



Open and close your garage door or gate from anywhere with the myQ App.



For a full overview of myQ features, see pages 6-7.

Additional purchase of Merlin myQ Gateway and Safety IR Beams accessories required to enable myQ functionality for all current products excluding Commander Ultimate, which includes Safety IR Beams and built-in WiFi. Visit [gomerlin.com.au](http://gomerlin.com.au) or [gomerlin.co.nz](http://gomerlin.co.nz) for further information.

# Merlin<sup>®</sup>

---

## AUSTRALIA

Chamberlain Australia Pty Ltd  
PO Box 1446  
Lane Cove NSW 1595

---

**[gomerlin.com.au](http://gomerlin.com.au)**  
**1800 638 234**

---

## NEW ZEALAND

Chamberlain New Zealand Ltd  
PO Box 100-221  
North Shore  
Auckland 0745

---

**[gomerlin.co.nz](http://gomerlin.co.nz)**  
**0800 653 667**

The brands Chamberlain<sup>®</sup>, Merlin<sup>®</sup> and Grifco<sup>®</sup> are registered trademarks.  
As Chamberlain's policy is one of continuous product improvement, changes to specifications and prices can be made without prior notification.  
© 2022 The Chamberlain Group LLC.